THE NEW COMPUTATIONAL CLUSTER OF THE INSTITUTE OF ASTRONOMY AND NAO

MOMCHIL DECHEV¹, ASEN MUTAFOV¹, KAMEN KOZAREV¹ ZVEZDELIN BORISOV²

¹ Institute of Astronomy and NAO, Bulgarian Academy of Sciences, 72, Tsarigradsko chaussee Blvd, Sofia, Bulgaria ²operani.com

E-mail: mdechev@astro.bas.bg

We present here the newly built computational cluster Urania. Last year, the Institute of Astronomy and NAO (IANAO) purchased new server hardware for the needs of the institute network, which was subsequently consolidated into a computer cluster called "Urania".

The Urania cluster is built on the basis of hyper-converged infrastructure (storage and computing nodes share the same hardware – servers). Urania's total capacity is: Processor cores: 192; Memory: 256 GB; HDD space: 31TB.

Two main technologies were used – ProxMox Virtualization Environment and CEPH - a software defined storage.

The main tasks that are currently underway are described and the prospects for future development are discussed.

KINEMATICS AND EUV BRIGHTENING EVOLUTION OF A SURGE TRIGERING AN ERUPTIVE PROMINENCE

MOMCHIL DECHEV¹, PETER DUCHLEV¹, KOSTADINKA KOLEVA ², ZORAN SIMIĆ³

¹Institute of Astronomy and NAO, Bulgarian Academy of Sciences, 72,

Tsarigradsko chaussee Blvd, Sofia, Bulgaria

²Space Research Institute, Bulgarian Academy of Sciences, BG-1000, Sofia

³Astronomical Observatory Belgrade, Volgina 7, 11060 Belgrade, Serbia

E-mail: mdechev@astro.bas.bg

We study a solar surge in AR SPoCa: SOL2014-03-14T04:081 using the multiwavelength data obtained by Atmospheric Imaging Assembly (AIA) of Solar Dynamics Observatory (SDO) on 2014 March 14. The surge appeared at the eruptive prominence (EP) footpoints and rises vertically up to a height of ~73 Mm then it falls and fades gradually. Its total lifetime was ~65 minutes. The surge rising clearly showed two subphases: accelerative and decelerative. The accelerative subphase showed speeds in the range 3-65 km/s at accelerations 0.5-129 m/s². During the deceleration the surge rose with constant deceleration of -54.8 m/s² and at falling speeds 65-13 km/s. During the downflow phase the surge plasma fell back with a speed of 27 km/s. The analysis of surge EUV brightening, as a signature of tethercutting (TC) reconnection revealed four brightening episodes. The results infer that TC reconnection led to the surge triggering in first episode and the surge splitting and EP bright flux rope origin in second and third episodes, as well. The EUV brightening at the footpoints of surge-EP event and in the thin BFR in fourth episode was due to surge mass impact at footpoints. The crucial role of the BFR for the further EP evolution infer that the surge via TC reconnection triggered the EP.